

References

- Barrs, H. D. (1965). Comparison of water potentials in leaves as measured by two types of thermocouple psychrometer. *Aust. J. Biol. Sci.* **18**, 36-52.
- Barrs, H. D. (1968). Determination of water deficits in plant tissues. In "Water Deficits and Plant Growth" (T.T. Kozlowski, ed.), Vol. 1, pp. 236-368. Academic Press, New York.
- Blum, A., Sullivan, C. Y., and Eastin, J. D. (1973). On the pressure chamber technique for estimating leaf water potentials in sorghum. *Agron. J.* **65**, 337-338.
- Boyer, J. S. (1966). Isopiestic technique: Measurement of accurate leaf water potentials. *Science* **154**, 1459-1460.
- Boyer, J. S. (1967a). Leaf water potentials measured with a pressure chamber. *Plant Physiol.* **42**, 133-137.
- Boyer, J. S. (1967b). Matric potentials of leaves. *Plant Physiol.* **42**, 213-217.
- Boyer, J. S. (1968). Relationship of water potential to growth of leaves. *Plant Physiol.* **43**, 1056-1062.
- Boyer, J. S. (1969a). Free-energy transfer in plants. *Science* **163**, 1219-1220.
- Boyer, J. S. (1969b). Measurement of the water status of plants. *Annu. Rev. Plant Physiol.* **20**, 351-364.
- Boyer, J. S. (1970). Differing sensitivity of photosynthesis to low water potentials in corn and soybean. *Plant Physiol.* **46**, 236-239.
- Boyer, J. S. (1974). Water transport in plants: Mechanism of apparent changes in resistance during absorption. *Planta* **117**, 187-207.
- Boyer, J. S. (1985). Water transport. *Annu. Rev. Plant Physiol.* **36**, 473-516.

- Boyer, J. S. (1993). Temperature and growth-induced water potential. *Plant Cell Env.* **16**, 1099-1106.
- Boyer, J. S., Cavalieri, A. J., and Schulze, E.-D. (1985). Control of cell enlargement: Effects of excision, wall relaxation, and growth-induced water potentials. *Planta* **163**, 527-543.
- Boyer, J. S., Johnson, R. R., and Saupe, S. G. (1980). Afternoon water deficits and grain yields in old and new soybean cultivars. *Agron. J.* **72**, 981-986.
- Boyer, J. S., and Knipling, E. B. (1965). Isopiestic technique for measuring leaf water potentials with a thermocouple psychrometer. *Proc. Natl. Acad. Sci. USA* **54**, 1044-1051.
- Boyer, J. S., and Potter, J. R. (1973). Chloroplast response to low leaf water potentials. I. Role of turgor. *Plant Physiol.* **51**, 989-992.
- Bozarth, C. S., Mullet, J. E., and Boyer, J. S. (1987). Cell wall proteins at low water potentials. *Plant Physiol.* **85**, 261-267.
- Brown, R. W., and Collins, J. M. (1980). A screen-caged thermocouple psychrometer and calibration chamber for measurements of plant and soil water potential. *Agron. J.* **72**, 851-854.
- Brown, R. W., and Oosterhuis, D. M. (1992). Measuring plant and soil water potentials with thermocouple psychrometers: Some concerns. *Agron. J.* **84**, 78-86.
- Brown, R. W., and van Haveren, B. P., eds. (1972). "Psychrometry in Water Relations Research." Utah Agr. Exp. Sta., Utah State University, Logan, UT.
- Campbell, E. C., Campbell, G. S., and Barlow, W. K. (1973). A dewpoint hygrometer for water potential measurement. *Agric. Meteorol.* **12**, 113-121.
- Campbell, G. S., and Campbell, M. D. (1974). Evaluation of a thermocouple hygrometer for measuring leaf water potential *in situ*. *Agron. J.* **60**, 24-27.

- Cavaleri, A. J., and Boyer, J. S. (1982). Water potentials induced by growth in soybean hypocotyls. *Plant Physiol.* **69**, 492-496.
- Close, T. J., and Bray, E. A., eds. (1993). "Plant Responses to Cellular Dehydration During Environmental Stress." Amer. Soc. Plant Physiologists Series, Rockville, MD.
- Cosgrove, D. J. (1985). Cell wall yield properties of growing tissue: Evaluation by *in vivo* stress relaxation. *Plant Physiol.* **78**, 347-356.
- Cosgrove, D. J. (1987). Wall relaxation in growing stems: Comparison of four species and assessment of measurement techniques. *Planta* **171**, 266-278.
- Cosgrove, D. J., van Volkenburgh, E., and Cleland, R. E. (1984). Stress relaxation of cell walls and the yield threshold for growth: Demonstration and measurement by micropressure probe and psychrometer techniques. *Planta* **162**, 46-54.
- De Roo, H. C. (1969). Leaf water potentials of sorghum and corn, estimated with the pressure bomb. *Agron. J.* **61**, 969-970.
- Dixon, H. H. (1914). "Transpiration and the Ascent of Sap in Plants." Macmillan, London.
- Ehlig, C. F. (1962). Measurement of energy status of water in plants with a thermocouple psychrometer. *Plant Physiol.* **37**, 288-290.
- Fellows, R. J., and Boyer, J. S. (1978). Altered ultrastructure of cells of sunflower leaves having low water potentials. *Protoplasma* **93**, 381-395.
- Ghorashy, S. R., Pendleton, J. W., Peters, D. B., Boyer, J. S., and Beuerlein, J. E. (1971). Internal water stress and apparent photosynthesis with soybeans differing in pubescence. *Agron. J.* **63**, 674-676.
- Gibbs, J. W. (1931). "The Collected Works of J. Willard Gibbs." Vol. 1. Longmans, Green and Co., New York.
- Hanks, R. J., and Brown, R. W. (1987). "Proceedings of the International Conference on Measurement of Soil and Plant Water

Status." Vol. 1-3. Utah Agr. Exp. Sta., Utah State University, Logan, UT.

Harris, M. J., and Outlaw, W. H., Jr. (1991). Rapid adjustment of guard-cell abscisic acid levels to current leaf-water status. *Plant Physiol.* 95, 171-173.

Hite, D. R. C., Outlaw, W. H., Jr., and Tarczynski, M. C. (1993). Elevated levels of both sucrose-phosphate synthase and sucrose synthase in *Vicia* guard cells indicate cell-specific carbohydrate interconversions. *Plant Physiol.* 101, 1217-1221.

Huang, C. Y., Boyer, J. S., and Vanderhoef, L. N. (1975). Acetylene reduction (nitrogen fixation) and metabolic activities of soybean having various leaf and nodule water potentials. *Plant Physiol.* 56, 222-227.

Hüsken, D., Steudle, E., and Zimmermann, U. (1978). Pressure probe technique for measuring water relations of cells in higher plants. *Plant Physiol.* 61, 158-163.

Jachetta, J. J., Appleby, A. P., and Boersma, L. (1986). Use of the pressure vessel to measure concentrations of solutes in apoplastic and membrane-filtered symplastic sap in sunflower leaves. *Plant Physiol.* 82, 995-999.

Kikuta, S. B., and Richter, H. (1988). Rapid osmotic adjustment in detached wheat leaves. *Ann. Bot. (London)* 62, 167-172.

Klepper, B., and Kaufmann, M. R. (1966). Removal of salt from xylem sap by leaves and stems of guttating plants. *Plant Physiol.* 41, 1743-1747.

Knipling, E. B. (1967). Comparison of the dye method with the thermocouple psychrometer for measuring leaf water potentials. *Plant Physiol.* 42, 1315-1320.

Koide, R. (1985). The nature and location of variable hydraulic resistance in *Helianthus annuus* L. (sunflower). *J. Exp. Bot.* 36, 1430-1440.

Kramer, P. J. (1985). An early discussion of cell water relations in thermodynamic terminology. *Plant Cell Env.* 8, 171-172.

- Kramer, P. J., and Boyer, J. S. (1995). "Water Relations of Plants and Soils." Academic Press, San Diego.
- Malone, M., Leigh, R. A., and Tomos, A. D. (1989). Extraction and analysis of sap from individual wheat leaf cells: The effect of sampling speed on the osmotic pressure of extracted sap. *Plant Cell Env.* **12**, 919-926.
- Malone, M., and Tomos, A. D. (1992). Measurement of gradients of water potential in elongating pea stem by pressure probe and picolitre osmometry. *J. Exp. Bot.* **43**, 1325-1331.
- Maness, N. O., and McBee, G. G. (1986). Role of placental sac in endosperm carbohydrate import in sorghum caryopses. *Crop Sci.* **26**, 1201-1207.
- Maruyama, S., and Boyer, J. S. (1994). Auxin action on growth in intact plants: Threshold turgor is regulated. *Planta* **193**, 44-50.
- Matyssek, R., Maruyama, S., and Boyer, J. S. (1988). Rapid wall relaxation in elongating tissues. *Plant Physiol.* **86**, 1163-1167.
- Matyssek, R., Maruyama, S., and Boyer, J. S. (1991b). Growth-induced water potentials may mobilize internal water for growth. *Plant Cell Env.* **14**, 917-923.
- Matyssek, R., Tang, A.-C., and Boyer, J. S. (1991a). Plants can grow on internal water. *Plant Cell Env.* **14**, 925-930.
- Meyer, R. F., and Boyer, J. S. (1972). Sensitivity of cell division and cell elongation to low water potentials in soybean hypocotyls. *Planta* **108**, 77-87.
- Meyer, R. F., and Boyer, J. S. (1981). Osmoregulation, solute distribution, and growth in soybean seedlings having low water potentials. *Planta* **151**, 482-489.
- Michel, B. E. (1972). Solute potentials of sucrose solutions. *Plant Physiol.* **50**, 196-198.

- Molz, F. J., and Ferrier, J. M. (1982). Mathematical treatment of water movement in plant cells and tissue: A review. *Plant Cell Env.* **5**, 191-206.
- Monteith, J. L., and Owen, P. C. (1958). A thermocouple method for measuring relative humidity in the range 95-100%. *J. Sci. Instrum.* **35**, 443-446.
- Nelsen, C. E., Safir, G. R., and Hanson, A. D. (1978). Water potential in excised leaf tissue. A comparison of a commercial dew point hygrometer and a thermocouple psychrometer on soybean, wheat, and barley. *Plant Physiol.* **61**, 131-133.
- Neumann, H. H., and Thurtell, G. W. (1972). A Peltier cooled thermocouple dewpoint hygrometer for *in situ* measurements of water potentials. In "Psychrometry in Water Relations Research" (R.W. Brown and B.P. van Haveren, eds.), pp. 103-112. Utah Agr. Exp. Sta., Utah State University, Logan, UT.
- Nonami, H. (1986). "Mechanism of Cell Enlargement at Low Water Potentials." Ph.D. Dissert., University of Illinois, Urbana, IL.
- Nonami, H., and Boyer, J. S. (1987). Origin of growth-induced water potential: Solute concentration is low in apoplast of enlarging tissues. *Plant Physiol.* **83**, 596-601.
- Nonami, H., and Boyer, J. S. (1989). Turgor and growth at low water potentials. *Plant Physiol.* **89**, 798-804.
- Nonami, H., and Boyer, J. S. (1990). Primary events regulating stem growth at low water potentials. *Plant Physiol.* **93**, 1601-1609.
- Nonami, H., and Boyer, J. S. (1993). Direct demonstration of a growth-induced water potential gradient. *Plant Physiol.* **102**, 13-19.
- Nonami, H., Boyer, J. S., and Steudle, E. S. (1987). Pressure probe and isopiestic psychrometer measure similar turgor. *Plant Physiol.* **83**, 592-595.

- Nonami, H., Schulze, E.-D., and Ziegler, H. (1991). Mechanisms of stomatal movement in response to air humidity, irradiance and xylem water potential. *Planta* 183, 57-64.
- Outlaw, W. H., Jr., and Lowry, O. H. (1977). Organic acid and potassium accumulation in guard cells during stomatal opening. *Proc. Natl. Acad. Sci. USA* 74, 4434-4438.
- Passioura, J. B. (1980). The meaning of matric potential. *J. Exp. Bot.* 31, 1161-1169.
- Passioura, J. B. (1984). Hydraulic resistance of plants. I. Constant or variable? *Aust. J. Plant Physiol.* 11, 333-339.
- Passioura, J. B. (1988). Water transport in and to roots. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 39, 245-265.
- Pfeffer, W. (1900). "The Physiology of Plants." 2nd edition. English translation by A.J. Ewart. Oxford at the Clarendon Press.
- Puritch, G. S., and Turner, J. A. (1973). Effects of pressure increase and release on temperature within a pressure chamber used to estimate plant water potential. *J. Exp. Bot.* 24, 342-348.
- Rawlins, S. L. (1964). Systematic error in leaf water potential measurements with a thermocouple psychrometer. *Science* 146, 644-646.
- Richards, L. A., and Ogata, G. (1958). Thermocouple for vapor pressure measurements in biological and soil systems at high humidity. *Science* 128, 1089-1090.
- Richter, H. (1978). A diagram for the description of water relations in plant cells and organs. *J. Exp. Bot.* 29, 1197-1203.
- Ritchie, G. A., and Hinckley, T. M. (1971). Evidence for error in pressure-bomb estimates of stem xylem potentials. *Ecology* 52, 534-536.
- Savage, M. J., and Cass, A. (1984). Measurement of water potential using *in situ* thermocouple hygrometers. *Adv. Agron.* 37, 73-126.

Savage, M. J., Wiebe, H. H., and Cass, A. (1983). *In situ* field measurement of leaf water potential using thermocouple psychrometers. *Plant Physiol.* **73**, 609-613.

Savage, M. J., Wiebe, H. H., and Cass, A. (1984). Effect of cuticular abrasion on thermocouple psychrometric *in situ* measurement of leaf water potential. *J. Exp. Bot.* **35**, 36-42.

Scholander, P. F., Hammel, H. T., Bradstreet, E. D., and Hemmingsen, E. A. (1965). Sap pressure in vascular plants. *Science* **148**, 339-346.

Scholander, P. F., Hammel, H. T., Hemmingsen, E. A., and Bradstreet, E. D. (1964). Hydrostatic pressure and osmotic potential in leaves of mangroves and some other plants. *Proc. Natl. Acad. Sci. USA* **52**, 119-125.

Shackel, K. A. (1984). Theoretical and experimental errors for *in situ* measurements of plant water potential. *Plant Physiol.* **75**, 766-772.

Slatyer, R. O. (1967). "Plant-Water Relationships." Academic Press, New York.

Slatyer, R. O., and Taylor, S. A. (1960). Terminology in plant- and soil-water relations. *Nature* **187**, 922-924.

Spanner, D. C. (1951). The Peltier effect and its use in the measurement of suction pressure. *J. Exp. Bot.* **2**, 145-168.

Steudle, E. (1989). Water flow in plants and its coupling to other processes: An overview. In "Methods in Enzymology" (S. and B. Fleischer, eds.), Vol. 174, pp. 183-225. Academic Press, New York.

Steudle, E., and Zimmermann, U. (1971). Hydraulic conductivity of *Valonia utricularis*. *Z. Naturforsch.* **26b**, 1302-1311.

Steudle, E., Zimmermann, U., and Lüttge, U. (1977). Effect of turgor pressure and cell size on the wall elasticity of plant cells. *Plant Physiol.* **59**, 285-289.

- Tomos, A. D., Steudle, E., Zimmermann, U., and Schulze, E.-D. (1981). Water relations of leaf epidermal cells of *Tradescantia virginiana*. *Plant Physiol.* 68, 1135-1143.
- Turner, N. C., and Long, M. J. (1980). Errors arising from rapid water loss in the measurement of leaf water potential by the pressure chamber technique. *Aust. J. Plant Physiol.* 7, 527-537.
- Tyerman, S. D., and Steudle, E. (1982). Comparison between osmotic and hydrostatic water flows in a higher plant cell: Determination of hydraulic conductivities and reflection coefficients in isolated epidermis of *Tradescantia virginiana*. *Aust. J. Plant Physiol.* 9, 461-479.
- Tyree, M. T. (1976). Negative turgor pressure in plant cells: Fact or fallacy? *Can. J. Bot.* 54, 2738-2746.
- Tyree, M. T., Cruiziat, P., Benis, M., LoGullo, M. A., and Salleo, S. (1981). The kinetics of rehydration of detached sunflower leaves from different initial water deficits. *Plant Cell Env.* 4, 309-317.
- Tyree, M. T., and Hammel, H. T. (1972). The measurement of the turgor pressure and the water relations of plants by the pressure-bomb technique. *J. Exp. Bot.* 23, 267-282.
- Tyree, M. T., and Jarvis, P. G. (1982). Water in tissues and cells. In "Encyclopedia of Plant Physiology" (O. Lange, P.S. Nobel, C.B. Osmond, and H. Ziegler, eds.), Vol. 12B, pp. 35-77. Springer-Verlag, Berlin.
- Tyree, M. T., and Richter, H. (1981). Alternative methods of analysing water potential isotherms: Some cautions and clarifications. I. The impact of non-ideality and of some experimental errors. *J. Exp. Bot.* 32, 643-653.
- Tyree, M. T., and Richter, H. (1982). Alternate methods of analyzing water potential isotherms: Some cautions and clarifications. II. Curvilinearity in water potential isotherms. *Can. J. Bot.* 60, 911-916.
- Welbaum, G. E., and Bradford, K. J. (1988). Water relations of seed development and germination in muskmelon (*Cucumis melo* L.). *Plant Physiol.* 86, 406-411.

Westgate, M. E., and Boyer, J. S. (1984). Transpiration- and growth-induced water potentials in maize. *Plant Physiol.* **74**, 882-889.

Westgate, M. E., and Boyer, J. S. (1985). Osmotic adjustment and the sensitivity of leaf, root, stem, and silk growth to low water potentials in maize. *Planta* **164**, 540-549.

Westgate, M. E., and Boyer, J. S. (1986). Silk and pollen water potentials in maize. *Crop Sci.* **26**, 947-951.

Zhu, G. L., and Boyer, J. S. (1992). Enlargement in *Chara* studied with a turgor clamp: Growth rate is not determined by turgor. *Plant Physiol.* **100**, 2071-2080.

Zimmermann, U., and Steudle, E. (1978). Physical aspects of water relations of plant cells. *Adv. Bot. Res.* **6**, 45-117.

Zimmermann, U., Hüsken, D., and Schulze, E.-D. (1980) Direct turgor pressure measurements in individual leaf cells of *Tradescantia virginiana*. *Planta* **149**, 445-453.